

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>C08B 37/02</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 97/17377</b> <b>(43) International Publication Date:</b> 15 May 1997 (15.05.97)
<b>(21) International Application Number:</b> PCT/US96/18018 <b>(22) International Filing Date:</b> 8 November 1996 (08.11.96)  <b>(30) Priority Data:</b> 60/006,518 9 November 1995 (09.11.95) US  <b>(71) Applicant:</b> ABBOTT LABORATORIES [US/US]; CHAD 0377/AP6D-2, 100 Abbott Park Road, Abbott Park, IL 60064-3500 (US).  <b>(72) Inventors:</b> MONTE, William, T.; 318 Mainsail Drive, Third-lake, IL 60030 (US). SCAGGS, Laurie; 37047 N. James Drive, Lake Villa, IL 60046 (US).  <b>(74) Agents:</b> WARD, Michael, J. et al.; Abbott Laboratories, Chad 0377/AP6D-2, 100 Abbott Park Road, Abbott Park, IL 60064-3500 (US).		<b>(81) Designated States:</b> CA, JP, MX, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> PROCESS FOR MAKING CRYSTALLINE IRON DEXTRAN  <b>(57) Abstract</b>  A process for the crystallization of an iron-dextran complex in readily-filterable form comprising adding slowly, with stirring, an acidified aqueous iron-dextran solution to a vessel containing a water miscible organic solvent such as methanol, as well as crystalline iron-dextran complexes so prepared.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

## PROCESS FOR MAKING CRYSTALLINE IRON DEXTRAN

### Technical Field

5 The present invention relates to a process for making iron preparations useful in the treatment of iron deficiencies. More particularly, the invention relates to a process for the preparation of crystalline iron(III)-dextran complex.

### Background of the Invention

10 Iron dextran has been known for about 35 years. It has been utilized primarily as an injectable agent for countering iron deficiencies in animals and human patients, having several advantages over other iron preparations including low toxicity, low incidence of adverse reactions, and satisfactory rate of iron adsorption.

15 Iron dextran is typically prepared by forming a complex of dextran with iron(III). The dextrans used are generally either (i) partially depolymerized dextrans having a molecular weight in the range of 1,000 to 10,000 or (ii) modified forms of dextran such as hydrogenated dextrans or oxidized dextrans. The iron(III) is prepared by neutralization of an aqueous solution of an iron(III) salt with an alkali. In order to prepare an aqueous iron dextran solution in a form suitable for injection, it is necessary to remove the soluble salts formed in the reaction between the water-soluble ferric salt and the dextran. This can be accomplished by known  
20 procedures such as dialysis or reverse osmosis, or by precipitation of the iron dextran complex from the aqueous solution, followed by drying and reconstitution with water.

Isolation of the iron-dextran complex from the aqueous solution by precipitation with a water-miscible solvent is known in the art. United States Patent No. 4,599,405 describes centrifuging and filtering the aqueous iron-dextran solution, followed by precipitation of the  
25 complex with ethanol. The complex is then washed with ethanol, separated, and dried to give the iron-dextran complex as a solid which is then reconstituted with water to form an injectable solution.

United States Patent Number 3,093,545 describes isolation of a treacle-like solid iron dextran complex by addition of methanol to the aqueous iron dextran solution, allowing the  
30 solid to settle, and decanting the supernatant liquid. The residual solid is then washed with aqueous ethanol, the liquid is decanted, and the process repeated. The residual liquid is removed by vacuum filtration, and the remaining solid complex is dried.

United States Patent Number 3,574,184 describes isolation of a treacle-like solid iron dextran complex by addition of ethanol to the aqueous solution and one or more centrifugation  
35 steps.

United States Patent Number 2,885,393 describes a process for making a gelatinous form of an iron dextran complex wherein the complex is purified by precipitation from aqueous solution by addition of isopropanol, followed by decanting the supernatant liquid, redissolving

the solid in water, and repeating the process. After further processing, the iron dextran complex is obtained as an aqueous solution.

United States Re. 24,642 describes purification of the iron-dextran complex by filtering the aqueous solution, precipitating the complex by mixing with ethanol, filtering the gelatinous solid, and redissolving the complex in water and repeating the precipitation with ethanol. The iron-dextran complex is then dissolved in water to form the injectable solution.

All of the prior art methods for isolating the solid iron-dextran complex require addition of the precipitating solvent to the aqueous iron dextran solution and result in gelatinous or treacle-like solids which are difficult to filter. Alternate methods of solvent removal, such as centrifugation or decantation are therefore required. Substantial further processing of the initial solid is also required to obtain complex of sufficient purity for use as injectable solutions. Consequently, there remains a need for a method of precipitation which produces pure iron dextran complex which can be easily isolated by filtration and dried. The dry powder can then be stored and reconstituted as needed to form the aqueous solution, thereby obviating storage difficulties which result from the prior art methods in which the complex is prepared and/or stored as a 5-to-10% aqueous solution.

### Summary of the Invention

It has now been found that a process in which an iron-dextran complex is added to a solvent, instead of the solvent being added to the iron-dextran complex, unexpectedly results in the formation of an easily-filtered crystalline solid which can be dried to a powder and easily stored for later reconstitution with water. This ease of filtration, and the elimination of the need for reverse osmosis, decanting, or other means of isolation of the solid from the residual aqueous solution, offer a means of considerable cost savings.

Accordingly, in one aspect of the present invention is disclosed a method of making crystalline iron-dextran complex, comprising the steps of:

- (a) combining an aqueous solution of dextran in which the dextran has an average molecular of 3,000 to 6,000 with an aqueous solution of an iron(III) salt;
- (b) combining the mixture with alkali;
- (c) heating and stirring the mixture until the formation of an iron-dextran complex is substantially complete;
- (d) acidifying the mixture;
- (e) precipitating the iron-dextran complex by adding the mixture to a water miscible solvent; and
- (f) isolating the crystalline iron-dextran complex.

In another aspect of the present invention is disclosed a process for the crystallization of an iron-dextran complex in readily-filterable form, comprising adding slowly, with stirring, an aqueous iron-dextran solution to a vessel already containing a water miscible organic solvent.

In a further aspect of the present invention are disclosed crystalline iron-dextran complexes prepared by the above processes.

### Detailed Description of the Invention

Dextran is a polysaccharide polymer of formula  $(C_6H_{10}O_5)_n$  composed exclusively of  $\alpha$ -D-glucopyranosyl units linked predominately  $\alpha$ -1-6 and obtained by the action of bacteria grown on a sucrose substrate by methods well-known in the art. Native dextrans usually have high molecular weight. Lower molecular weight dextrans are prepared by partial depolymerization of the native dextrans by methods known in the art, such as treatment with mineral acid.

A dextran obtained by partial depolymerization of such a native dextran may be further modified, as for example by partial reduction using sodium borohydride or catalytic hydrogenation, or by oxidation. The term "dextran" as used herein is intended to include dextran, reduced dextran, and oxidized dextran. Treatment of unmodified dextran with mild oxidizing agents such as sodium or potassium periodate introduces carboxyl groups on the terminal glucose unit. Optionally, the terminal glucose unit may be oxidized to carboxylic groups using, for example, bromine, sodium hypobromite, sodium bromite, sodium hypochlorite or sodium chlorite. In one embodiment of the invention, dextran is dissolved in water and oxidized by treatment with between about 0.4 and about 0.6 parts per weight (ppw) 5% aqueous sodium hypochlorite, followed by between about 0.10 and about 0.15 ppw of aqueous sodium hydroxide. The oxidation is best carried out at ambient temperature (about 15 to about 35 °C). A representative dextran contemplated for use in the present invention is a partially depolymerized dextran having a molecular weight of between about 1,000 and about 10,000, preferably between about 3,000 and about 6,000.

In accordance with the foregoing, between about 1 and about 10 ppw of such a dextran are dissolved in water (preferred dextrans being unoxidized or oxidized dextrans and oxidized dextrans being most preferred). A particularly preferred embodiment of the process of the present invention utilizes between about 1.0 and about 1.5 ppw of oxidized dextran having a molecular weight of 5,000 to 6,000. The aqueous dextran solution is then added with stirring to an aqueous solution of about 1 ppw of iron(III), where the term "iron(III)" means trivalent hydrous ferric oxide. The iron(III) solution is prepared by neutralizing a ferric salt with alkali. Suitable ferric salts include any water-soluble salts which generate hydrous ferric oxide when treated with alkalis. Representative salts include ferric chloride, ferric nitrate, ferric sulfate,

ferric perchlorate, ferric acetate, ferric trichloroacetate, ferric citrate and the like, as well as double salts such as ferric ammonium sulfate or ferric ammonium citrate and the like. Of the above salts, ferric chloride is particularly preferred. Representative alkalis include the hydroxides and carbonates of sodium, lithium and potassium. The ferric salt may be neutralized  
5 by treatment with excess alkali, or may be formed in a two step process involving partial neutralization with alkali followed by addition of the dextran solution and additional alkali to achieve complete neutralization and complex formation. The iron(III) solution is preferably prepared by adding between about 0.14 and about 0.24 ppw of aqueous sodium carbonate to an aqueous solution containing about 1 ppw of hydrated ferric chloride.

10 After combining the aqueous iron(III) and dextran solutions, the mixture is made basic by addition of between about 0.15 and about 0.25 ppw alkali, preferably sodium hydroxide. The mixture is then heated, preferably at between about 80 and about 100 °C, and stirred until complex formation is complete. When unoxidized dextran is used, gradual heating may be required to prevent formation of a heterogeneous mixture. The solution may then be acidified  
15 using solid, gaseous or liquid acid, preferably aqueous hydrochloric acid, to obtain a pH of between about 4 and about 5. The solution may then be heated, preferably at between about 118 and about 135 °C, at a pressure of between about 10 and about 20 psi (68 and 138 KPa). After cooling to ambient temperature, crystalline iron-dextran complex is obtained by adding the reaction solution to a water-miscible organic solvent in a solution-to-solvent ratio of about not  
20 less than 1:1 by volume, followed by filtration. Representative solvents include methanol, ethanol, isopropanol, acetone and the like, with methanol being the most preferred solvent and (when methanol is used) the preferred ratio of aqueous iron-dextran solution to solvent being about 1:8. To reduce solvent volume, the aqueous iron-dextran solution may be concentrated prior to addition to the solvent. The initially obtained crystalline iron-dextran may be washed  
25 with additional solvent prior to drying and storage.

The process of the present invention will be better understood in connection with the following Examples, which are intended solely as an illustration thereof.

#### Example 1

##### Preparation of Crystalline Iron-Dextran Complex using Oxidized Dextran

30 To a solution of molecular weight 5000 Dextran (60.7 g) in water (108 mL) was added bleach (32 mL) and 5% aqueous sodium hydroxide (7.5 mL). The solution was stirred for one hour and then was refrigerated for 17 hours. To a stirred solution of ferric chloride (60 g) in  
35 water (300 mL) was added, dropwise over 60 minutes, a solution of sodium carbonate (11.8 g) in water (100 mL), followed by the bleach-dextran solution. To the resulting solution was

added a solution of sodium hydroxide (22.6 g) in water (100 mL) over a 60 minute period. The mixture was heated at 90-100 °C for 90 minutes and then was cooled to ambient temperature and acidified with to pH 4 with HCl to give 907 g of iron-dextran solution. A 447 g aliquot was removed and concentrated to a volume of 160 mL and then was added with stirring to 1038 g of methanol. The resulting crystalline solid was collected by filtration and washed with methanol. The solid was slurried in methanol (173 g), filtered, and dried to afford 15.63 g of iron-dextran powder. The material passed gel permeation chromatographic analysis.

### Example 2

#### Preparation of Crystalline Iron-Dextran Complex using Unoxidized Dextran

To a solution in water (70 mL) of ferric chloride (24.0 g) was added a solution of sodium carbonate (4.7 g) in water (40 mL) over an 80-minute period. To the mixture was added a solution of dextran (27.3 g) in water (70 mL), followed by addition, over 40 minutes, of a solution of sodium hydroxide (9.0 g) in water (110 mL). The mixture was then added to methanol (350 mL). The resulting solid was filtered, dissolved in water (150 mL) and heated at 85 °C for 60 minutes. The mixture was cooled and added to methanol (100 mL). The resulting solid was filtered and dried to afford 19.4 g of iron dextran powder. The material passed gel permeation chromatographic analysis.

### Example 3

#### Preparation of Crystalline Iron-Dextran Complex with *In Situ* Oxidation of Dextran

To a solution of molecular weight 5000 dextran (27.3 g) in water (70 mL) was added 2.25 N aqueous sodium hydroxide (5 mL); the resulting mixture was heated at 75-80 °C for 30 minutes. The solution was cooled and added to a ferric solution prepared by treating a solution of ferric chloride (24.0 g) in water (70 mL) with 1.1 N aqueous sodium carbonate (40 mL). The resulting solution was heated to 80-90 °C, cooled, and added to methanol (100 mL) with stirring. The resulting crystalline solid was filtered and dried to give iron-dextran powder. The material passed gel permeation chromatographic analysis.

Example 4  
Industrial Preparation of Crystalline Iron-Dextran

To a 30-gallon reactor containing a 25 °C solution under N<sub>2</sub> of ferric chloride  
5 hexahydrate (5.0 kg) in degassed water (25 kg) was added a solution of sodium carbonate (1.0  
kg) in water (8.3 kg). The temperature was maintained at 20-26 °C while stirring at 30-50 rpm  
during the addition. In a 50-gallon reactor, dextran (5.2 kg) was dissolved in water (9.1 kg).  
To the dextran solution was added 5% aqueous sodium hypochlorite (2.9 kg) and after  
thorough mixing 10% aqueous sodium hydroxide solution (0.7 kg) was added. The solution  
10 was stirred until it did not react with KI starch paper. The oxidized dextran solution was then  
added to the ferric solution over 5 minutes while maintaining the temperature of the ferric  
solution at 23-25 °C and stirring at 75-100 rpm. A solution of sodium hydroxide (2.0 kg) in  
water (8.3 kg) was added over a period of about one hour. The reaction mixture was then  
stirred for 90 minutes at 21-26 °C and then was warmed to 85-100 °C for 90 minutes. The  
15 reaction mixture was then cooled to 30-40 °C and adjusted to pH 4.3-5.0 with HCl.

The reaction mixture was then filtered and the filtrate was heated at 121-130 °C in a  
sealed vessel for 80-90 minutes. The solution was concentrated to a volume of about 15 L and  
cooled to ambient temperature. The iron-dextran solution was then slowly added to 121 kg of  
methanol over about 60 minutes with vigorous stirring. A precipitate formed instantly. The  
20 solid was filtered and rinsed with methanol (120 kg) and then was suspended in 64 kg of  
methanol. The suspension was stirred for 30 minutes. The solid was filtered and dried *in*  
*vacuo* at 85 °C to give 4.03 kg of iron-dextran powder.

It is understood that the foregoing detailed description and accompanying examples are  
merely illustrative and are not to be taken as limitations upon the scope of the invention, which  
25 is defined solely by the appended claims and their equivalents. Various changes and  
modifications to the disclosed embodiments will be apparent to those skilled in the art. Such  
changes and modifications, including without limitation those relating to the materials and/or  
methods of use of the invention, may be made without departing from the spirit and scope  
thereof.



What is claimed is:

1. A process for the preparation of crystalline iron-dextran complex, comprising the steps of:
  - (a) combining an aqueous solution of dextran in which the dextran has an average molecular of 3,000 to 6,000 with an aqueous solution of an iron(III) salt;
  - (b) combining the mixture with alkali;
  - (c) heating and stirring the mixture until the formation of an iron-dextran complex is substantially complete;
  - (d) precipitating the iron-dextran complex by adding the mixture to a water-miscible organic solvent; and
  - (e) isolating the crystalline iron-dextran complex.
2. The process of Claim 1 wherein the water-miscible solvent is methanol.
3. The process of Claim 1 wherein the dextran is selected from the group consisting of dextran, oxidized dextran, and hydrogenated dextran.
4. The crystalline iron-dextran complex prepared according to the process of Claim 3.
5. The process of Claim 3 wherein the dextran is oxidized dextran.
6. The crystalline iron-dextran complex prepared according to the process of Claim 5.
7. The process of Claim 5 wherein the oxidized dextran is prepared by combining sodium hypochlorite and alkali with an aqueous solution of dextran.
8. The crystalline iron-dextran complex prepared according to the process of Claim 7.
9. A process for the crystallization of an iron-dextran complex in readily-filterable form, comprising adding slowly, with stirring, an aqueous iron-dextran solution to a vessel containing a water miscible organic solvent.
10. The process of Claim 9 wherein the aqueous iron dextran solution is added to the water-miscible organic solvent in a ratio of not less than 1:1 by volume.
11. The process of Claim 10 wherein the water-miscible solvent is methanol.

12. The process of Claim 11 wherein the aqueous iron dextran solution is added to the methanol in a ratio of about 1:8 by weight.

13. The crystalline iron-dextran complex prepared according to the process of Claim 12.

# INTERNATIONAL SEARCH REPORT

National Application No

PL /US 96/18018

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 C08B37/02

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 C08B C08J

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 1 200 902 A (FISONS PHARMACEUTICALS) 5 August 1970 see the whole document ---	4-8
Y	US 2 862 920 A (CARL BERGER ET AL.) 2 December 1958 see column 3, line 26 - line 44 ---	1-13
Y	US 2 856 398 A (LEO J. NOVAK ) 14 October 1958 see example V -----	1-13

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- \*&\* document member of the same patent family

Date of the actual completion of the international search

18 February 1997

Date of mailing of the international search report

12. 03. 97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl.  
Fax (+ 31-70) 340-3016

Authorized officer

Lensen, H

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PC1/US 96/18018

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB-A-1200902	05-08-70	DE-A- 1768361 US-A- 3574184	16-09-71 06-04-71
US-A-2862920	02-12-58	NONE	
US-A-2856398	14-10-58	NONE	